MAHARSHI DAYANAND UNIVERSITY ROHTAK

SHORT NOTICE INVITING TENDER

Sealed tenders on percentage basis are invited on behalf of the Registrar, MDU, Rohtak from contractors/societies / agencies on approved list of Haryana PWD B&R / P.H. Br., MES, CPWD, autonomous bodies and other State / Centre Govt. undertakings. The tender forms will be issued to the contractors / societies / agencies up to the date of opening of tenders as mentioned against work by 12:00 Noon and will be received upto 2:00 P.M. in the office of the Registrar and opened at 3:00 P.M. on the same day in the Committee Room of Vice-Chancellor office in the presence of the tenderers or their authorized representatives, who may like to be present at that time. The tender documents may be obtained from the office of the undersigned and the same be deposited in the office of the Registrar by the due date.

Sr. No.	Name of work	App. Amt. (Rs.)	Earnest	Money (Rs.)	Cost of tender	Date of opening	Time limit
		(====)			form	of tender	
			Society	Contractor	(Rs.)		
1.	White washing, OBD,	2,00,000/-	2,000/-	4,000/-	500/-	17.01.2013	01
	painting and minor						month
	repairs in the						
	Department of						
	Chemistry at MDU,						
	Rohtak						
2.	Providing and Fixing	1,05,000/-		2,100/-	500/-	17.01.2013	02
	Computer Points and Air						months
	Conditioners points at						
	Ground floor for DDE						
	Computer room in						
	MDU, Rohtak. (E.I.)						
3.	Renovation of Physical	52,000/-		1,040/-	500/-	17.01.2013	20 days
	Research Lab No. 320						
	Chemistry Department						
	in MDU, Rohtak.(E-I)						

CONDITIONS:-

- 1. Complete NIT / DNIT (Detailed Notice Inviting Tender) alongwith eligibility criteria/terms & conditions and changes if any can be seen in the office of undersigned on any working day during office hours (9:00 AM to 5:00 PM) and on University Website www.mdurohtak.ac.in
- 2. The tenderer will keep in touch with the University Web site for any change in the NIT / DNIT till the last date/revised last date of sale of tender and incorporate such changes in NIT / DNIT and the tender bids
- 3. At the time of purchase of tender documents, the contractors should submit the following documents:-
 - (a) Proof of enlistment.
 - (b) Copy of PAN card.
 - (c) Copy of latest income tax return.

(d) Successfully work done certificates of similar nature of works during last 5 years including the running financial year as under:-

One certificate of 80% of the estimated cost of this tender.

Oı

Two certificates of 60% of the estimated cost of this tender

Or

Three certificates of 40% of the estimated cost of this tender

All the above certificates in paras 3(a) to 3(d) above will be self attested and stamped with the stamp of the firm.

- 4. In case tendering day happens to be a holiday, the tenders will be received / opened on next working day at the same time.
- 5. Validity of tender will be 90 days.
- 6. Earnest money is to be deposited at the time of purchase of the tender. It should be in the shape of Demand Draft or Deposit at Call in favour of the Executive Engineer, MDU, Rohtak payable at Rohtak.
- 7. Contractors shall quote single percentage of rate below/above/at par on (HSR+C.P.) on all chapters. N.S. item rates are to be quoted separately. The tender, without the rates of N.S. items, if any, in DNIT, will be rejected.
- 8. Conditional tender is liable to be rejected.
- 9. Any work, here tendered, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
- 10. Engineer-in-Charge is competent to increase / decrease the quantity of work. In case of decrease of quantity, the contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full.
- 11. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
- 12. The tender is liable to be rejected if the tender is found in variance of the above conditions or the conditions of the DNIT.
- 13. The University reserves the right to accept or reject or negotiate any of the tender or conditions/items without assigning any reason.
- 14. Plumbing and E.I. work shall be got done through license holder agencies for the works involving PH / E.I.
- 15. The agencies shall paste the cello tape on the rates quoted by them.

- 16. Tender by post / telegraphic/courier shall out rightly be rejected.
- 17. Exemption of tender fee or earnest money or security will not be permitted in any case.

Executive Engineer(C-II)

Dated: 08.01.2013

Endst. No. EE(C-II)/2012 / 286-310

A copy of the above is forwarded to the following for information and necessary action:-

- 1. Superintending Engineer, PWD B&R Circles, Rohtak
- 2. Technical Advisor to VC, MDU, Rohtak
- 3. Executive Engineer, MDU, Rohtak
- 4. Executive Engineer, PWD B&R (Medical College), Rohtak / KUK / HAU. Hisar / GJU, Hisar / CDLU, Sirsa / BPS Women University, Khanpur/ DBSCRU, Murthal
- 5. Secretary to Vice-Chancellor(for kind information of the Vice-Chancellor), M. D. University, Rohtak
- 6. P.A. to Registrar (for kind information of Registrar), MDU, Rohtak
- 7. SDE(C-I, II, III) / SDE (E-I) / SDE (PH) / SDE (Horti.-I, II), MDU, Rohtak
- 8. Divisional Accountant / H.D.M., Engineering Cell, MDU, Rohtak
- 9. Notice Board

10. Contractor/Agency/Society:	
--------------------------------	--

Executive Engineer(C-II)

DETAILED NOTICE INVITING TENDER

Name of work :- "White washing, OBD, Painting and minor repairs in the Department of Chemistry at MDU, Rohtak."

App. Amount: Rs. 2,00,000/-Earnest Money: Rs. 2,000/Rs. 4,000/-Time Limit: 01 month

Sr.No./HSR	Qty.	Description	Rate (Rs.)	Unit
1/8.32 (a)	1100 sqm	Scraping:	@ Rs. 0.45	Per sqm
		(a) :- White wash and colour wash.	(Paisa Forty five only)	
2/16.52	1100 sqm	Preparation of plastered surfaces for oil bound distemper	@ Rs. 11.15	Per sqm
		including sand papering the surface, applying one coat of	` _	
		linseed oil, and filling with approved quality filler, consisting	only)	
		of white lead, linseed oil, varnish and chalk mitti including		
		finishing the surface to the required finish complete.		
3/16.57	1100 sqm	Distempering with washable oil bound distemper (of approved	@ Rs. 6.30	Per sqm
		manufacture) two coats excluding priming coat on new work.	(Rs. Six and paisa thirty only)	
4/16.48	3240 sqm	White Washing:	@ Rs. 1.25	Per sqm
		Three coats	(Rs. One and paisa twenty five	
			only)	
5/16.46	6571 sqm	White Washing:	@ Rs. 0.55	Per sqm
		One coat or subsequent coat	(Paisa Fifty five only)	
6/16.59	2175 sqm	Distempering with washable oil bound distemper (of approved		Per sqm
		manufacture) one coat on old distempered work.	(Rs. Three and paisa thirty five	
			only)	
7/16.5	4312 sqm	Painting two coats with synthetic enamel paint in all shades on	@ Rs. 7.15	Per sqm
		old wood-work or metallic or plastered or concrete surfaces to	(Rs. Seven and paisa fifteen	
		give and even shade including rubbing down old paint.	only)	
8/8.32 (c)	20 sqm	Scraping:	@ Rs. 1.90	Per sqm
		(c) Cement plaster	(Rs. One and paisa ninety only)	
9/15.10	20 sqm	15 mm thick cement plaster 1:4 on the rough side of single or	@ Rs. 15.65	Per sqm
		half brick wall.	(Rs. Fifteen & paisa sixty five	
			only)	

DNIT for the work "Providing and Fixing Computer Points and Air Conditioners points at Ground floor for DDE Computer room in MDU, Rohtak. (E.I.)"

App. Amount: Rs. 1.05 lac Earnest Money: Rs. 2,100/-Time limit: 2 months

				I fine finite 2 months	
Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
1.	31.12	2 nos.	(C) Supply and erection of moulded case circuit breaker on wall or on existing pedestal including bonding to earth and necessary connections:- (i) 15 amp. to 60 amp. 415V 10 K.A. 3 phase	@ Rs. 1926.00 (Rs. one thousand nine hundred twenty six only)	Each
2.	31.13	8 mtr.	Supply and erection of M.S. angle iron frame duly welded for housing M.S. sheet & main switches etc. on it, fixed on wall by means of suitable size of rag bolts with cement concrete, duly painted with three coats of approved paint including one coat of red oxide (ii) Size 40mm x 40mm x 6mm	@ Rs. 46.50 (Rs. forty six and paisa fifty only)	Metre
3.	31.14	1 sqm.	Supply and erection of 3 mm thick mild steel sheet duly welded on existing M.S. angle iron frame for fixing the main switches etc. as required, duly painted with three coats of approved paint including one coat of red oxide	@ Rs. 337.00 (Rs. three hundred thirty seven only)	Sqm.
4.	31.15	3 nos.	Supply and erection of sheet steel enclosures 2 pole/ 3 pole with earth plug and socket suitable for incorporating single pole/triple pole MCB on wall/on existing pedestal complete with necessary connections etc:- (ii) S.P.N. enclosure for single pole M.C.B 20amp	@ Rs. 293.00 (Rs. two hundred ninety three only)	Each

Contd.....P/2.....

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
5.	31.17		(L) Miniature Circuit Breaker and Isolator Supply and erection of miniature circuit breaker /isolator 240/415 V in the existing distribution board including making necessary connections: a) Miniature Circuit Breakers of 9 K.A. breaking		
		33 nos.	capacity (ii) 6 amp. to 32 amp.(Single pole)	@ Rs. 95.00 (Rs. ninety five only)	Each
		6 nos.	(ii) 6 amp. to 32 amp. (Triple pole)	@ Rs. 315.00 (Rs. three hundred fifteen only)	Each
		6 nos.	(iii) 40 amp. to 63 amp. (Single pole)	@ Rs. 113.00 (Rs. one hundred thirteen only)	Each
6.	31.18.		(M) Supply and erection of Fittings and Accessories:		
		66 nos.	(xii) Switch 5 amp. on existing sheet	@ Rs. 3.80 (Rs. three and paisa eighty only)	Each
		66 nos.	(xiii) Wall socket 5 amp. on existing sheet	@ Rs. 4.40 (Rs. four and paisa forty only)	Each
		6000 sqcm.	(xviii) Bakelite sheet including fixing with brass screws and washers(a) 5 mm thick	@ Rs. 0.04 (Rs. paisa four only)	Sq cm.

Contd.....P/3.....

C	HCD	04	Dogwindian	D -4-	T T :4
Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
7.	31.21	20mtr.	(P)Pipe laying Supply and erection of pipe for wiring purposes including bends inspection boxes etc. where necessary and painting as required:- (xvi) Heavy gauge welded conduit pipe 25 mm dia 1.60 mm thickness on surface.	@ Rs. 18.40 (Rs. eighteen and paisa forty only)	Metre
		6mtr.	(xxx) Supply and erection of PVC pipe of 6 kg. pressure, laid 1 metre below ground level complete, including digging refilling of the trench with jointing etc:- (c) PVC pipe 65 mm dia	@ Rs. 31.00	Metre
		omu.	(c) PVC pipe 63 min dia	(Rs. thirty one only)	Metre
8.	31.22	2 nos.	(Q) Earthing (iv) Earthing with tinned copper earth plate 600mmx600mmx3mm thick including accessories and providing masonry enclosures with cover place having locking arrangement and watering pipe etc. (but without charcoal or coke and salt) etc. complete as required.	@ Rs. 1149.00 (Rs. one thousand one hundred forty nine only)	Each
		2 nos.	(v) Extra for charcoal or coke and salt for G.I. plate or copper plate earth electrode.	@ Rs. 186.00 (Rs. one hundred eighty six only)	Each
		20 mtr.	(x) Providing and fixing 25mmx5mm copper strip in 40mm dia G.I. pipe from earth electrode as required.	@ Rs. 155.00 (Rs. one hundred fifty five only)	Metre
		10 mtr.	(xiv) Providing and fixing 25mmx5mm copper strip on surface or in recess for connections etc. as required with all labour and material.	@ Rs. 117.00 (Rs. one hundred seventeen only)	Metre
		30 mtr.	(xvii) Pdg. And fixing 4.00mm dia copper wire on surface or in recess for loop earthing as required.	@ Rs. 13.50 (Rs. thirteen and paisa fifty only)	Metre

Contd.....P/4.....

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
9.	31.26		Supply and erection of underground cable, loose in existing pipe or trenches complete with necessary connections:-		
		25 mtr.	(xl) 16 sqmm. 4 core cable(Armoured)	@ Rs. 46.80 (Rs. forty six and paisa eighty only)	Metre
		30 mtr.	(xli) 25 sqmm. 4 core cable(Armoured)	@ Rs. 56.30 (Rs. fifty six and paisa thirty only)	Metre
10	31.28		Supply and erection of suitable compression type brass Cable glands for underground cable:		
		6 nos.	(ii) 10 sqmm. to 16 sqmm Cable 2 to 4 core	@ Rs. 9.20	Each
		2 nos.	(iii) 25 sqmm. to 50 sqmm. cable 2 to 4 core	(Rs. nine and paisa twenty only) @ Rs. 16.80 (Rs. sixteen and paisa eighty only)	Each
11.	31.37		Wiring in 1.5 sqmm. PVC insulated copper conductor cable in 1.6 mm thick conduit Pipe		
			(vii) 3-pin 5 amp. plug point including earthing the 3 rd pin		
		09 nos.	etc. a. Short point	@ Rs. 272.00 (Rs. two hundred seventy two only)	Each
		09 nos.	b. Medium point	@ Rs. 452.00 (Rs. four hundred fifty two only)	Each
		15 nos.	c. long point	(Rs. six hundred sixty nine only)	Each

Contd.....P/5.....

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
12.	31.40		Supply and erection of PVC unsheathed copper conductor cable single core 1100 volts grade in pipe of suitable size excluding cost and erection of pipe		
		150mtr.	(i) Cable size 1.5sqmm (3/0.81mm)	@ Rs. 10.20 Rs. ten and paisa twenty only)	Metre
		200mtr.	(iii) Cable size 4 sqmm.(7/0.85mm)	@ Rs. 24.50 (Rs. twenty four and paisa fifty only)	Metre
		10mtr.	(v) Cable size 10 sqmm (7/1.35 mm)	@ Rs. 50.00 (Rs. fifty only)	Metre
13.	31.41		Supply and erection of double door sheet steel enclosure distribution board suitable for MCBs and ELCBs etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect upto to the entire satisfaction of the Engineer-in-charge of the		
		3 nos.	work. (v) 4-way, TP&N (Horizontal) (8+12)	@ Rs. 1670.00 (Rs. one thousand six hundred seventy only)	Each
		1 no.	(ix) 4-way, TP&N (Vertical) (8+12)	@ Rs. 3850.00 (Rs. three thousand eight hundred fifty only)	Each
14.	31.45		Supply and erection of copper lugs including crimping etc. upto the entire satisfaction of Engineer-in-charge of work.		
		66 nos.	(a)1.5sqmm to 2.5sqmm.	@ Rs. 4.80 (Rs. four and paisa eighty only)	Each
		6 nos.	(b)4 sqmm to 6 sqmm	@ Rs. 6.00 (Rs. six only)	Each
		24 nos.	(c)10 sqmm.	@ Rs. 8.20 (Rs. eight and paisa twenty only)	Each

Contd.....P/6.....

Sr.	H.S.R.	Qty.	Description	Rate	Unit
No.	No.				
15.	31.48	100 nos.	Supply and erection of MS saddles and clamps on wall/RCC parapet for fixing underground cable at a distance of 0.60 metre centre to centre fixed by means of rawl plug including the cost of all labour and material required to complete the job in all respect.	@ Rs. 5.00 (Rs. five only)	Each
16.	31.49		Supply and erection of MS box made of 16 Gauge MS sheet recessed in wall, with arrangement of fixing brass screws, 2 nos. check nuts and one no. PVC bush of required size including all labour and material required to complete the job in all respect up to the entire satisfaction of Engineer-incharge of work.		
		5000	(i) With two coats of primer	@ Rs. 0.12	Sqcm
		sqcm		(Rs. paisa twelve only)	

Note: 1. The underground cable will be used of Havells / Polycabe make No extra payment will be allowed on this account.

- 2. PVC pipe of 6 Kg. pressure Kasta / Swastik / Supreme make of HSR item no. 31.21 will be used. No extra payment will be allowed on this account.
- 3. The material used for HSR Item no. 31.12, 31.15, 31.17 and 31.41 will be used of Standard/ Havells make and no extra payment will be allowed on this account.
- 4. PVC copper wire 31.38, 31.39 and 31.40 will be used of Plaza/ Havells/ Polycabe make and no extra payment will be allowed on this account.

App. Amount: Rs. 52,000.00 Earnest Money: Rs. 1,040/-Time limit: 20 days

Sr.	H.S.R.	Qty.	Description	Rate	Unit
No. 1.	No. 31.12	1 no.	(D) Supply and erection of sheet steel enclosures distribution boards suitable for MCBs etc. on wall/existing board/pedestal with rag bolts including bonding to earth:- (v) Distribution board 6 way (TP)	@ Rs. 831.00 (Rs. eight hundred thirty one only)	Each
2.	31.13	5 mtr.	Supply and erection of M.S. angle iron frame duly welded for housing M.S. sheet & main switches etc. on it, fixed on wall by means of suitable size of rag bolts with cement concrete, duly painted with three coats of approved paint including one coat of red oxide (ii) Size 40mm x 40mm x 6mm	@ Rs. 46.50	Metre
	24.44			(Rs. forty six and paisa fifty only)	
3.	31.14	1 sqm.	Supply and erection of 3 mm thick mild steel sheet duly welded on existing M.S. angle iron frame for fixing the main switches etc. as required, duly painted with three coats of approved paint including one coat of red oxide	@ Rs. 337.00 (Rs. three hundred thirty seven only)	Sqm.
4.	31.15	2 nos.	Supply and erection of sheet steel enclosures 2 pole/ 3 pole with earth plug and socket suitable for incorporating single pole/triple pole MCB on wall/on existing pedestal complete with necessary connections etc:- (ii) S.P.N. enclosure for single pole M.C.B 20amp	@ Rs. 293.00 (Rs. two hundred ninety three	Each
				only)	

Contd.....P/2.....

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
5.	31.17		(L) Miniature Circuit Breaker and Isolator Supply and erection of miniature circuit breaker /isolator 240/415 V in the existing distribution board including making necessary connections: a) Miniature Circuit Breakers of 9 K.A. breaking		
		6 nos.	capacity (ii) 6 amp. to 32 amp.(Single pole)	@ Rs. 95.00 (Rs. ninety five only)	Each
		4 nos.	(iii) 40 amp. to 63 amp. (Single pole)	@ Rs. 113.00 (Rs. one hundred thirteen only) @ Rs. 499.00	Each
		1 no.	(iii) 40 amp. to 63 amp. (triple pole with neutral)	(Rs. four hundred ninety nine only)	Each
6.	31.18.	5 nos.	(M) Supply and erection of Fittings and Accessories:(xi)Bakelite angle/straight button holder large size	@ Rs. 6.20 (Rs. six and paisa twenty only)	Each
		5 nos.	(xii) Switch 5 amp. on existing sheet	@ Rs. 3.80 (Rs. three and paisa eighty only)	Each
		3 nos.	(xiii) Wall socket 5 amp. on existing sheet	@ Rs. 4.40 (Rs. four and paisa forty only)	Each
		2 nos.	(xiv) 15 amp. switch on existing sheet	@ Rs. 10.30 (Rs. ten and paisa thirty only)	Each
		2 nos.	(xv) 3 pin 15 amp. multi socket on existing sheet	@ Rs. 11.20 (Rs. eleven and paisa twenty only	Each

Contd.....P/3.....

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
7.	31.21		(P)Pipe laying		
			Supply and erection of pipe for wiring purposes including bends inspection boxes etc. where necessary and painting as required:-		
		10mtr.	(xxi) Heavy gauge welded conduit pipe 20 mm dia 1.60 mm thickness flushed.	@ Rs. 16.30 (Rs. sixteen and paisa thirty only)	Metre
		25mtr.	(xxii) Heavy gauge welded conduit pipe 25 mm dia 1.60 mm thickness flushed.	@ Rs. 19.60 (Rs. nineteen and paisa sixty only)	Metre
8.	31.22		(Q) Earthing		
		40mtr.	(xvi) Providing and fixing 4.00 mm dia G.I. wire on surface or in recess for loop earthing as required.	@ Rs. 3.40 (Rs. three and paisa forty only)	Metre
9.	31.26		Supply and erection of underground cable, loose in existing pipe or trenches complete with necessary connections:-		
		30 mtr.	(iv) 10 sqmm. 2 core cable (Armoured)	@ Rs. 27.80 (Rs. twenty seven and paisa eighty only)	Metre
		30 mtr.	(xl) 16 sqmm. 4 core cable(Armoured)	@ Rs. 46.80 (Rs. forty six and paisa eighty only)	Metre
10	31.28		Supply and erection of suitable compression type brass Cable glands for underground cable:		
		4 nos.	(ii) 10 sqmm. to 16 sqmm Cable 2 to 4 core	@ Rs. 9.20 (Rs. nine and paisa twenty only)	Each

Sr. No.	H.S.R. No.	Qty.	Description	Rate	Unit
11.	31.35		 (X) Miscellaneous (i) Supply of M.S. pipe (B-class) for suspension rod of ceiling fan including threading if required (a) 15 mm dia 		
		3 mtr.	(a)13 mm dia	@ Rs. 24.90 (Rs. twenty four and paisa ninety only)	Metre
12.	31.36		Wiring in 1.5 sqmm. PVC insulated copper conductor cable in 1.6 mm thick conduit Pipe II)Light point		
		03 nos.	a. Short point	@ Rs. 251.00	Each
				(Rs. two hundred fifty one only)	
		04 nos.	b. Medium point	@ Rs. 433.00	Each
				(Rs. four hundred thirty three	
		04.55	c. Long point	only)	Fach
		04 nos.	C. Long point	@ Rs. 639.00 (Rs. six hundred thirty nine	Each
				only)	
			(vii) 3-pin 5 amp. plug point including earthing the 3 rd pin	Olliy)	
			etc.	@ Rs. 272.00	Each
		02 nos.	a. Short point	(Rs. two hundred seventy two	
				only)	
			h Madiym naint	@ Rs. 452.00	Each
		1 no.	b. Medium point	(Rs. four hundred fifty two only)	
			c long point	@ Rs. 669.00	Each
		01 no.		(Rs. six hundred sixty nine only)	
			viii) 3-pin 15amp. Plug point with 4 sqmm. PVC Insulated copper conductor cable including earthing the 3 rd pin etc.		
		4 nos.	(c) long point	@ Rs. 965.00	Each
			() ()	(Rs. nine hundred sixty five	
				only)	

Contd......P/5......

Sr.	H.S.R.	Qty.	Description	Rate	Unit
No.	No. 31.40		Supply and erection of PVC unsheathed copper conductor		
13.	31.10		cable single core 1100 volts grade in pipe of suitable size		
			excluding cost and erection of pipe		
		200mtr.	(i) Cable size 1.5sqmm	@ Rs. 10.20	Metre
				Rs. ten and paisa twenty only)	
				@ Rs. 16.30	
		100mtr.	(ii) Cable size 2.5 sqmm.	(Rs. sixteen and paisa thirty	Metre
				only)	
			(iii) Cable size 4 sqmm.	@ Rs. 24.50	
		150mtr.		(Rs. twenty four and paisa fifty	Metre
				only)	
			(vi) Cable size 16sqmm	@ Rs. 83.70	
		5 mtr.		(Rs. eighty three and paisa	Metre
14.	31.45		Cumply and argetion of conner lugs including crimping etc	seventy only	
14.	31.45		Supply and erection of copper lugs including crimping etc. upto the entire satisfaction of Engineer-in-charge of work.		
			apto the entire satisfaction of Engineer-in-charge of work.		
		12 nos.	(i)1.5sqmm to 2.5sqmm.	@ Rs. 4.80	Each
			()	(Rs. four and paisa eighty only)	
		16 nos.	(ii)4 sqmm to 6 sqmm	@ Rs. 6.00	Each
				(Rs. six only)	
		16 nos.	(iv)16 sqmm.	@ Rs. 10.30	Each
				(Rs. ten and paisa thirty only)	
15.	31.48	50 nos.	Supply and erection of MS saddles and clamps on wall/RCC	@ Rs. 5.00	Each
			parapet for fixing underground cable at a distance of 0.60	(Rs. five only)	
			metre centre to centre fixed by means of rawl plug including		
			the cost of all labour and material required to complete the		
			job in all respect.	Court	-l D/C

Contd.....P/6.....

Sr.	H.S.R.	Qty.	Description	Rate	Unit
No.	No.				
16.	31.49	5000sqm.	Supply and erection of MS box made of 16 Gauge MS sheet recessed in wall, with arrangement of fixing brass screws, 2 nos. check nuts and one no. PVC bush of required size including all labour and material required to complete the job in all respect up to the entire satisfaction of Engineer-in-charge of work. (i) With two coats of primer	@ Rs. 0.12	Sqcm
				(Rs. paisa twelve only)	
17.	NS-44	08 nos.	P/F of softite —Recess mounted indirect-direct down light luminous No. BCLA 240 CFL DSP BAJAJ Make in the fixture will be complete the false ceiling as per the design. In light will be fixed as per drg.	Rate to be quoted by the contractor	Each
18.	NS	04 nos.	Credit of 1x40 watt tube fitting with tube, hanging pipe complete the job in all respect as per entire satisfaction of Engineer-in-charge	Rate to be quoted by the contractor	Each
19.	NS	04 nos.	Removal and re-erection of ceiling fans in existing ceiling complete the job in all respect as per satisfaction of Engineer-in-charge.	Rate to be quoted by the contractor	Each