



MAHARSHI DAYANAND UNIVERSITY ROHTAK

(A State University established under Haryana Act No. 25 of 1975)

NAAC accredited 'A' Grade

NOTICE INVITING TENDER

Sealed tenders on percentage basis are invited on behalf of the Registrar, MDU, Rohtak from contractors/societies / agencies on approved list of PWD, MES, CPWD, autonomous bodies and State / Centre Govt. undertakings. The tender forms will be issued to the contractors / societies agencies / up to the date of opening of tenders as mentioned against work by 12:00 Noon and will be received up to 2:00 P.M. in the office of the Registrar and opened at 3:00 P.M. on the same day in the Committee Room of Vice-Chancellor office in the presence of the tenderers or their authorized representatives, who may like to be present at that time. **The tender documents may be obtained from the office of the undersigned and the same be deposited in the office of the Registrar by the due date.**

Sr. No.	Name of work	App. Amt. (Rs.)	Earnest Money (Rs.)		Cost of tender form (Rs.)	Date of opening of tender	Time limit
			Society	Contractor			
1.	Construction of CC road, parking, footpaths alongwith interlocking tiles and kerb stones at UILMS, Gurgaon	15,26,000/-	15,260/-	30,520/-	1,000/-	14.01.2014	04 months
2.	Internal renovation of ground floor and construction of Planter etc. at UILMS, Gurgaon	8,02,000/-	8,020/-	16,040/-	1,000/-	14.01.2014	03 months

CONDITIONS:-

1. Complete NIT / DNIT (Detailed Notice Inviting Tender) alongwith eligibility criteria/terms & conditions and changes if any can be seen in the office of undersigned on any working day during office hours (9:00 AM to 5:00 PM) or on University Website – www.mdurohtak.ac.in
2. The tenderer will keep in touch with the University Web site for any change in the NIT / DNIT till the last date/revised last date of sale of tender and incorporate such changes in NIT / DNIT and the tender bids.
3. At the time of purchase of tender documents, the contractors should submit the following documents:-
 - (a) Proof of enlistment.
 - (b) Copy of PAN card.
 - (c) Copy of latest income tax return.
 - (d) Successfully work done certificates of civil works during last 5 years (financial year 2008-09 to 2012-13) as under:-
 - One certificate of 80% of the estimated cost of this tender.
 - Or
 - Two certificates of 60% of the estimated cost of this tender
 - Or
 - Three certificates of 40% of the estimated cost of this tenderAll the above certificates in paras 3(a) to 3(d) above will be self attested with stamp.
4. In case tendering receiving / opening day happens to be a holiday, the tenders will be received / opened on next working day at the same time.

Contd...2...

5. Validity of tender will be 90 days.
6. Earnest money is to be deposited at the time of purchase of the tender. It should be in the shape of Demand Draft or Deposit at Call in favour of the Executive Engineer, MDU, Rohtak payable at Rohtak.
7. Contractors shall quote single percentage of rate below/above/at par on (HSR+C.P.) on all chapters. N.S. item rates are to be quoted separately. The tender, without the rates of N.S. items, if any, in DNIT, will be rejected.
8. Conditional tender is liable to be rejected.
9. Any work, here tendered, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
10. Engineer-in-Charge is competent to increase / decrease the quantity of work. In case of decrease of quantity, the contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full.
11. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
12. The tender is liable to be rejected if the tender is found in variance of the above conditions or the conditions of the DNIT.
13. The University reserves the right to accept or reject or negotiate any of the tender or conditions/items without assigning any reason.
14. Plumbing and E.I. work shall be got done through license holder agencies for the works involving PH / E.I.
15. The agencies shall paste the cello tape on the rates quoted by them.
16. Tender by post / telegraphic/courier shall out rightly be rejected.
17. Exemption of tender fee or earnest money or security will not be permitted in any case.

Executive Engineer

Endst. No. EE/ 2013 / 6812-6846

Dated: 17.12.2013

A copy of the above is forwarded to the following for information and necessary action:-

1. Superintending Engineer, PWD B&R Circles, Rohtak
2. Director, UILMS, Sector-40, Gurgaon
3. Technical Advisor to VC, MDU, Rohtak
4. Executive Engineer(C-II), MDU, Rohtak
5. Executive Engineer, PWD B&R (Medical College), Rohtak / KUK / HAU. Hisar / GJU, Hisar / CDLU, Sirsa / BPS Women University, Khanpur/ DBSCRU, Murthal

PTO

6. P.A. to Vice-Chancellor (for kind information of the Vice-Chancellor),
M. D. University, Rohtak
7. P.A. to Registrar (for kind information of the Registrar), MDU, Rohtak
8. Divisional Accountant, Engg. Cell, MDU, Rohtak
9. SDE(C-I, II, III) / SDE (Elect.) / SDE (PH) / SDE (Horti.-I, II), MDU, Rohtak
10. H.D.M., Engineering Cell, MDU, Rohtak
11. Notice Board
12. Contractor/Agency/Society: _____

Executive Engineer

DETAILED NOTICE INVITING TENDER

Name of the work “Construction of CC road, parking, footpaths alongwith interlocking tiles and kerb stones at UILMS, Gurgaon”

App. Amt. Rs. 15,26,000/-

Earnest Money Rs. 15,260/- / Rs. 30,520/-

Time Limit: 04 months

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
1/24.37 (LR)	1283.34 sqm	Dismantling of road including soling and wearing coat, screening and stacking of old serviceable material, complete in all respect	@ Rs. 296.70 (Rs. Two hundred ninety six and paisa seventy only)	Per 100 sqm
2/8.6 (d)	14.18 cum	Dismantling concrete (d) cement concrete plain 1:2:4 mi	@ Rs. 71.85 (Rs. Seventy one and paisa eighty five only)	Per cum
3/8.25	214 sqm	Dismantling cement conglomerate /terrazzo floors 25mm to 50mm thick including concrete base	@ Rs. 5.75 (Rs. Five and paisa seventy five only)	Per sqm
4/6.2(b)	102.67 cum	Earth work excavation in ordinary soil exclusive of compensation of earth: (b) earth work undressed with a combined lead upto 15 metres including breaking of clods.	@ Rs.586.60 (Rs. Five hundred eighty six and paisa sixty only)	Per 100 cum
5/5.2(a)	423.52 cum	Carriage of materials (metalled roads), lead more than 0.48 KM excluding loading, unloading and stacking. (a) Surkhi, sand, Bajri, Ballast, Stone Boulders, Kankar & Building rubbish. (20 KM lead)	@ Rs. 36.50 (Rs. Twelve and paisa forty only)	Per cum
6/4.1(a)	423.52 cum	(a) stone (building or pitching), sand, bajri, shingle, spalls, brick-bats, brick ballast and stone metal (Loading and unloading)	@ Rs. 4.75 (Rs. Four and paisa seventy five only)	Per cum
7/10.39	221.77 cum	Cement concrete 1:4:8 with stone aggregate 40 mm nominal size in foundation and plinth.	@ Rs. 403.10 (Rs. Four hundred three and paisa ten only)	Per cum
8/10.132	159.88 cum	Cement concrete 1:11/2:3 with stone aggregate 20mm nominal size in pavement, roads, taxi-tracks and run ways, laid to required slope and camber, including consolidation, finishing and tamping complete	@ Rs. 642.40 (Rs. Six hundred forty two and paisa forty only)	Per cum

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
9/10.77	7.09 cum	Precast cement concrete 1:2:4 with stone aggregate 20mm nominal size in Kerbs and the like items, finished smooth with 6mm thick cement plaster 1:3 on exposed surface including form work, placing and fixing in position, complete at the ground level or in first storey.	@ Rs. 942.50 (Rs. Nine hundred forty two and paisa fifty only)	Per cum
10/10.77 (LR)	7.09 cum	Precast cement concrete 1:2:4 with stone aggregate 20mm nominal size in Kerbs and the like items, finished smooth with 6mm thick cement plaster 1:3 on exposed surface including form work, placing and fixing in position, complete at the ground level or in first storey.	@ Rs. 352.45 (Rs. Three hundred fifty two and paisa forty five only)	Per cum
11/10.159	217.50 sqm	Providing and laying 80mm thick interlocking paver blocks of all shapes and colours in design mix cement M-35 over a bed of 30mm thick fine sand complete in all respect.	@ Rs. 450.00 (Rs. Four hundred fifty only)	Per sqm
12/14.45 + Note	321.19 sqm	Precast chequered tiles of 20mm thickness in ordinary grey cement without chips laid on 20mm thick bed of cement coarse sand mortar 1:3 with neat cement slurry between joints and over the base in floors, treads of steps and landings. Note:- In case colour chequered tiles in flooring are used, increase the through rate of Item No. 14.45 by 10%	@ Rs. 111.48 (Rs. One hundred eleven and paisa forty eight only)	Per sqm

DETAILED NOTICE INVITING TENDER

Name of the work “Internal renovation of ground floor and construction of Planter etc. at UILMS, Gurgaon”

App. Amt. Rs. 8,02,000/-

Earnest Money Rs. 8,020/- / Rs. 16,040/-

Time Limit: 03 months

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
1/11.9	19.32 cum	1 st class brick work laid in cement sand mortar 1:4 in first storey upto 4 metres above plinth level.	@ Rs.445.60 (Rs . Four hundred forty five and paisa sixty only)	Per cum
2/15.10	109.90 sqm	15 mm thick cement plaster 1:4 on the rough side of single or half brick wall	@ Rs. 15.65 (RS. Fifteen & paisa sixty five only)	Per sqm
3/15.5	122.40 sqm	12 mm thick cement plaster 1:4	@ Rs. 12.70 (Rs. Twelve & paisa seventy only)	Per sqm
4/5.2(a)	23 cum	Carriage of materials (metalled roads), lead more than 0.48 KM excluding loading, unloading and stacking. (a) Surkhi, sand, Bajri, Ballast, Stone Boulders, Kankar & Building rubbish. (20 KM lead)	@ Rs. 36.50 (Rs. Thirty six and paisa fifty only)	Per cum
5/4.1 (a)	23 cum	Stone (building or pitching), sand, bajri, shingle, spalls, brick-bats, brick ballast and stone metal	@ Rs. 4.75 (Rs. Four and paisa seventy five only)	Per cum
6/18.41	3.80 qtl.	Providing steel pipe I.S.I. mark in columns with 2 Nos. M.S. plates welded on both ends of the pipe including cutting etc., complete fixed In position.	@ Rs. 1205.35 (Rs. One thousand two hundred five and paisa thirty five only)	Per qtl.
7/8.32(a)	516.52 sqm	To prepare surfaces by scraping, brushing to remove Tera Kota/Snowcem as per entire satisfaction of Engineer-in-Charge.	@ Rs. 0.45 (Paisa forty five only)	Per sqm
8/16.25	516.52 sqm	Applying priming coat with cement primer in all shades on newly plastered or concrete exterior surfaces	@ Rs. 4.15 (Rs. Four and paisa fifteen only)	Per sqm
9/16.24	516.52 sqm	Preparation of plastered of concrete surfaces for painting, including sand papering the surface, applying one coat of linseed oil and filling with approved quality filler, consisting of white lead, linseed oil, varnish and chalk mitti including finishing surface to the required finish, complete	@ Rs. 11.15 (Rs. Eleven and paisa fifteen only)	Per sqm

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
10/16.3	516.52 sqm	Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade. 1 st quality	@ Rs. 9.40 (Rs. Nine & paisa forty only)	Per sqm
11/8.26	666.81 sqm	Dismantling cement conglomerate /terrazzo floors 25mm to 50mm thick without concrete base.	@ Rs. 3.05 (Rs. Three and paisa five only)	Per sqm
12/14.89	15.05 sqm	Providing and fixing vitrified tiles of size 600 x 600mm of approved make in flooring laid in any pattern as specified over base of 20mm thick cement coarse sand mortar 1:3 and jointed with white cement slurry mixed with pigment to match the shade to tiles. Note : Tile shall be of premium quality (1 st quality) of reputed manufacturer like NITCO, KAJARIA, SOMANI, ORIENT && JOHNSONS	@ Rs. 924.30 (Rs. Nine hundred twenty four and paisa thirty only)	Per sqm
13/17.83(b)	36 nos.	Providing and fixing sliding bolt with nuts and screws etc complete (b) Aluminum (i) size 300mm x 16mm	@ Rs. 44.15 (Rs. Forty four and paisa fifteen only)	Each
14/10.159	76.70 sqm	Providing and laying 80mm thick interlocking paver blocks of all shapes and colours in design mix cement M-35 over a bed of 30mm thick fine sand complete in all respect.	@ Rs. 450.00 (Rs. Four hundred fifty only)	Per sqm
15/10.26	11.51 cum	Cement concrete 1:8:16 with brick ballast 40 mm nominal size in foundation and plinth	@ Rs. 300.20 (Rs. Three hundred & paisa twenty only)	Per cum
16/18.30(b)	42.41 sqm	Supplying and fixing glass panes including special metal sash putty of approved make: (b) glass panes 4mm thick, exceeding 40sq dm areas	@ Rs. 115.40 (Rs. One hundred fifteen and paisa forty only)	Per sqm

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
17/14.62	38.44 sqm	Kota stone flooring 34 mm to 40mm thick in any pattern as specified over 12mm thick base of cement coarse sand mortar 1:3 laid and jointed with neat cement slurry mixed with pigment to match the shjade of stone including rubbing and polishing	@ Rs. 201.95 (Rs. Two hundred one and paisa ninety five only)	Per sqm
18/30.54 (b)	2 nos.	Providing and fixing in position best Indian make fire clay sink with complete fitting: (b) 600x450x250mm	@ Rs. 903.00 (Rs. Nine hundred three only)	Each
19/16.25	379.03 sqm	Applying priming coat with cement primer in all shades on newly plastered or concrete exterior surfaces	@ Rs. 4.15 (Rs. Four and paisa fifteen only)	Per sqm
20/16.79(b)	379.03 sqm	Providing two coats of exterior acrylic emulsion paint. b) 1 st quality.	@ Rs. 48.75 (Rs. Forty eight and paisa seventy five only)	Per sqm
21/16.5	250.83 sqm	Painting two coats with synthetic enamel paint in all shades on old wood-work or metallic or plastered or concrete surfaces to give an even shade including rubbing down old paint.	@ Rs. 7.15 (Rs. Seven and paisa fifteen only)	Per sqm
22/18.20	14.56 sqm	Providing and fixing in position collapsible steel shutter with vertical channels 20mm x 10mm x 2m and braced with flat iron diagonal 20mm x 5mm size, with top and bottom rails of T-iron 40mm x 40mm x 6mm with 38 mm dia steel pulleys, complete with bolts, nuts, locking arrangements, stoppers, handles, etc. complete.	@ Rs. 305.45 (Rs. Three hundred five and paisa forty five only)	Per sqm
23/18.18(a)		Supply and fixing rolling shutters, of approved make, M.S. Laths, interlocked together through their entire length, and jointed together, at the end, by end locks mounted on specially designed pipe shaft, with brackets, side guides, 27.5 cm long wire spring grade no.2, and arrangement for inside and out-side locking, with push and pull operation complete, including top cover 0.80		

Sr. No. / HSR	Qty.	Description	Rate (Rs.)	Unit
	4.46 sqm	mm thick (payment is to be made for the exact size of opening where rolling shutter is to be fixed):- (a) with 80mm x 1.00mm M.S. Laths	@ Rs. 364.70 (Rs. Three hundred sixty four and paisa seventy only)	Per sqm
24/14.81 (b)	1146.35 mtr.	Providing and fixing PVC strips, 40 mm wide in floors (b) 5.5 mm thick	@ Rs. 7.50 (Rs. Seven and paisa fifty only)	Per mtr.
25/14.10	651.76 sqm	Conglomerate floor 50 mm thick cement concrete topping 1:2:4	@ Rs. 37.60 (Rs. Thirty seven and paisa sixty only)	Per sqm
26/N.S.	32 sft.	Providing and fixing white board 8' x 4' complete to the entire satisfaction of Engineer-in-Charge.	Rate to be quoted by the contractor	Per sft.
27/N.S.	36 nos.	Removing of floor spring in aluminium doors complete to the entire satisfaction of Engineer-in-Charge.	Rate to be quoted by the contractor	Each
28/N.S.	36 nos.	Removing and re-fixing of aluminium door shutters complete to the entire satisfaction of Engineer-in-Charge.	Rate to be quoted by the contractor	Each
29/N.S.	137 sft.	Removing and re-fixing S.S. railing for stairs including nut bolt, welding, polish etc. complete to the entire satisfaction of Engineer-in-Charge.	Rate to be quoted by the contractor	Per sft.
30/N.S.	900 sft.	Providing and fixing 2 mm thick fiber sheet for shed including J hook, washer etc. complete to the entire satisfaction of Engineer-in-Charge.	Rate to be quoted by the contractor	Per sft.