

MAHARSHI DAYANAND UNIVERSITY ROHTAK

SHORT NOTICE INVITING TENDER

Sealed tenders on percentage basis are invited on behalf of the Registrar, MDU, Rohtak from contractors/societies / agencies on approved list of Haryana PWD B&R / P.H. Br., MES, CPWD, autonomous bodies and other State / Centre Govt. undertakings. The tender forms will be issued to the contractors / societies / agencies up to the date of opening of tenders as mentioned against work by 12:00 Noon and will be received upto 2:00 P.M. in the office of the Registrar and opened at 3:00 P.M. on the same day in the Committee Room of Vice-Chancellor office in the presence of the tenderers or their authorized representatives, who may like to be present at that time. **The tender documents may be obtained from the office of the undersigned and the same be deposited in the office of the Registrar by the due date.**

Sr. No.	Name of work	App. Amt. (Rs.in lac)	Earnest Money (Rs.)	Cost of tender form (Rs.)	Date of opening of tender	Time limit
1.	Providing and fixing underground cable from L.T. pole in front of Squash Court to Stadium main niche in MDU, Rohtak	1,54,000/-	3,080/-	500/-	16.08.2013	01 month
2.	Providing and fixing copper plate earthing in the Department of Physics in MDU, Rohtak	28,000/-	560/-	500/-	16.08.2013	15 days
3.	Replacement of burnt wiring in room no. 9, 10,11 & 12 in Boys Hostel No.6 at Ground Floor in MDU, Rohtak	24,000/-	480/-	500/-	16.08.2013	15 days

CONDITIONS:-

1. Complete NIT / DNIT (Detailed Notice Inviting Tender) alongwith eligibility criteria/terms & conditions and changes if any can be seen in the office of undersigned on any working day during office hours (9:00 AM to 5:00 PM) and on University Website – www.mdurohtak.ac.in
2. The tenderer will keep in touch with the University Web site for any change in the NIT / DNIT till the last date/revised last date of sale of tender and incorporate such changes in NIT / DNIT and the tender bids.
3. At the time of purchase of tender documents, the contractors should submit the following documents:-
 - (a) Proof of enlistment.
 - (b) Copy of PAN card.
 - (c) Copy of latest income tax return.

All the above certificates in paras 3(a) to 3(c) above will be self attested and stamped with the stamp of the firm.

Contd....P/2...

4. In case tendering day happens to be a holiday, the tenders will be received / opened on next working day at the same time.
5. Validity of tender will be 90 days.
6. Earnest money is to be deposited at the time of purchase of the tender. It should be in the shape of Demand Draft or Deposit at Call in favour of the Executive Engineer, MDU, Rohtak payable at Rohtak.
7. Contractors shall quote single percentage of rate below/above/at par on (HSR+C.P.) on all chapters. N.S. item rates are to be quoted separately. The tender, without the rates of N.S. items, if any, in DNIT, will be rejected.
8. Conditional tender is liable to be rejected.
9. Any work, here tendered, may be withdrawn from further processing at any stage at the discretion of the competent authority without assigning any reason.
10. Engineer-in-Charge is competent to increase / decrease the quantity of work. In case of decrease of quantity, the contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full.
11. Nothing extra whatsoever shall be paid on account of losses, damages done by rains or any other natural calamity.
12. The tender is liable to be rejected if the tender is found in variance of the above conditions or the conditions of the DNIT.
13. The University reserves the right to accept or reject or negotiate any of the tender or conditions/items without assigning any reason.
14. Plumbing and E.I. work shall be got done through license holder agencies for the works involving PH / E.I.
15. The agencies shall paste the cello tape on the rates quoted by them.
16. Tender by post / telegraphic/courier shall out rightly be rejected.
17. Exemption of tender fee or earnest money or security will not be permitted in any case.

Executive Engineer(C-II)

Endst. No. EE(C-II)/ 2013 / 3707-36

Dated: 08.08.2013

A copy of the above is forwarded to the following for information and necessary action:-

1. Superintending Engineer, PWD B&R Circles, Rohtak
2. Technical Advisor to VC, MDU, Rohtak
3. Executive Engineer, MDU, Rohtak
4. Executive Engineer, PWD B&R (Medical College), Rohtak / KUK / HAU. Hisar / GJU, Hisar / CDLU, Sirsa / BPS Women University, Khanpur/ DBSCRU, Murthal
5. Secretary to Vice-Chancellor(for kind information of the Vice-Chancellor), M. D. University, Rohtak
6. P.A. to Registrar (for kind information of Registrar), MDU, Rohtak
7. SDE(C-I, II, III) / SDE (E-I) / SDE (PH) / SDE (Horti.-I, II), MDU, Rohtak
8. Divisional Accountant / H.D.M., Engineering Cell, MDU, Rohtak
9. Notice Board
10. Contractor/Agency/Society: _____

Executive Engineer(C-II)

MAHARSHI DAYANAND UNIVERSITY ROHTAK

DNIT for the work: “ **Providing & Fixing underground cable from L.T. Pole in front of Squash Court to Stadium main niche in MDU, Rohtak**”.

Approximate Amount : Rs. 1,54,000/-
Earnest Money : Rs. 3,080/-
Time Limit : 01 month

Sr. no.	HSR No.	Quantity	Discription	Rate	Unit
1	6.6	132 cum	Earth work in excavation in foundations, trenches, etc. in all kinds of soils, not exceeding 2 metres depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15 cm layers with compaction, including disposal of all surplus soil, as directed within a lead of 30 metres.	@ Rs. 1108.10 (Rs. One thousand one hundred eight and paise ten only)	Per cum
2	10.26	6 cum	Cement concrete 1 : 8 : 16 with brick ballast 40 mm nominal size in foundation and plinth.	@ Rs. 300.20 (Rs. Three hundred and paise twenty only)	Per cum.
3	11.4	18 cum	First class brick work laid in cement sand mortar 1 : 4 in foundation and plinth.	@ Rs. 424.60 (Rs. Four hundred twenty four and paise sixty only)	Per cum
4	15.5	110 sq mtr	12 mm thick cement plaster 1 : 4	@ Rs. 12.70 (Rs. Twelve and paise seventy only)	Per sq mtr.
5	31.21	20 mtr.	Pipe laying Supply and erection of pipe for wiring purposes including bends inspection boxes etc. where necessary and painting as required: (xxx) Supply and erection of PVC pipe of 6 kg. pressure, laid 1 metre below ground level complete, including digging, refilling of the trench with jointing etc.: (b) PVC pipe 80 mm dia	@ Rs. 42.00 (Rs. forty two only)	Per mtr.

6	31.25	10 mtr.	<p>Under Ground Cables Supply and erection of under ground cable 1 metre below ground level covered with sand and bricks including necessary connections, digging and refilling of trenches:</p> <p>(xxix) 95 sq mm 3½ core cable (Armoured)</p>	<p>@ Rs. 135.50 (Rs. One hundred thirty five and paisa fifty only)</p>	Per mtr.
7	31.26	115 mtr.	<p>Supply and erection of under ground cable, loose in existing pipe or trenches complete with necessary connections:</p> <p>(xxix) 95 sq mm 3½ core cable (Armoured)</p>	<p>@ Rs. 121.10 (Rs. One hundred twenty one and paisa ten only)</p>	Per mtr.
8.	N.S.	20 mtr	Holing and drilling of road by machine / manual means for laying of required size of PVC pipe.	Rate to be quoted by agency	Per mtr.
9.	N.S.	1 no.	S/E of LT fuse unit board for 200 AmpLoad with 3 nos. aluminum L-Pattiwith necessary nut-bolts and clamprequired and complete job.	Rate to be quoted by agency	Each
10.	N.S.	2300 nos.	Supply and laying 1 st class bricks on existing cables in trenches or over-loop areas.	Rate to be quoted by agency	Each
11.	N.S.	12 cum	Supply & filling of river sand in existing trenches for underground cable.	Rate to be quoted by agency	Per cum
12.	N.S.	25 cum	supply and filling of tibba sand free from rock etc. in existing trenches.	Rate to be quoted by agency	Per cum

13.	N.S.	4 nos.	P/F precast RCC (1 : 1½ : 3) cable route marker of size 0.75 mtr deep, 0.25 mtr width, 0.15 mtr thick, 0.25 mtr below top of side wall and proper embedded in wall and written there of L-T cable on three sides of route markers including arrow on two sides with approved make of Enamel paint of red colour including white colour Apex of approved make with 6 nos. horizontal stirrups of tor steel bar 8 mm dia and 6 nos. vertical tor steel bars 12 mm dia as per instructions and as per entire satisfaction of Engineer-in-charge.	Rate to be quoted by agency	Each
-----	------	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------	------

Note:

1. The underground cable will be used of Havells/Polycabe make. No extra payment will be allowed on this account.
2. PVC pipe of 6 Kg. pressure Kasta/Swastik/Supreme make of HSR item no. 31.21 will be used. No extra payment will be allowed on this account.
3. The materials used for HSR item no. 31.12, 31.15, 31.17 and 31.41 will be used of Standard/Havells make and no extra payment will be allowed on this account.
4. PVC copper wire 31.38, 31.39 and 31.40 will be used of Plaza/Havells/Polycabe make and no extra payment will be allowed on this account.

MAHARSHI DAYANAND UNIVERSITY ROHTAK

DNIT for the work providing and fixing Copper Plate earthing in the Deptt. of Physics in MDU, Rohtak.

Approximate Amount : Rs. 28,000/-
Earnest Money : Rs. 560/-
Time Limit : 15 days

Sr. no.	HSR No.	Quantity	Discription	Rate	Unit
1	31.22		Earthing		
		2 nos.	(iv) Earthing with tinned copper earth plate 600 mm x 600 mm x 3 mm thick including accessories and providing masonary enclosures with cover plate having locking arrangement and watering pipe etc. (but without charcoal of coke and salt) etc. complete as required.	@ Rs. 1,149.00 (Rs. One thousand one hundred forty nine only)	Each
		2 nos.	(v) Extra for charcoal or coke and salt for G.I. plate or copper plate earth electrode.	@ Rs. 186.00 (Rs. One hundred eighty six only)	Each
		70 mtr.	(xx) Supply and erection of 20 mm x 3 mm thick copper tape fixed with suitable copper stapples of same size.	@ Rs. 60.00 (Rs. Sixty only)	Per mtr.

Note:

- The underground cable will be used of Havells / Polycabe make. No extra payment will be allowed on this account.

Contd. ..2..

2. PVC pipe of 6 Kg. pressure Kasta / Swastik / Supreme make of HSR item no. 31.21 will be used. No extra payment will be allowed on this account.
3. The materials used for HSR item no. 31.12, 31.15, 31.17 and 31.41 will be used of Standard/Havells make and no extra payment will be allowed on this account.
4. PVC copper wire 31.38, 31.39 and 31.40 will be used of Plaza / Havells / Polycabe make and no extra payment will be allowed on this account.

MAHARSHI DAYANAND UNIVERSITY ROHTAK

DNIT for the work: Replacement of burnt wiring in room no. 9, 10, 11 & 12 Boys Hostel No. 6 at ground floor in MDU, Rohtak.

Approximate Amount : Rs. 24,000/-
Earnest Money : Rs. 480/-
Time Limit : 15 days

Sr. no.	HSR No.	Description	Quantity	Rate	Unit
1	31.40	Supply and erection of PVC unsheathed copper conductor cable single core 1100 volts grade in pipe of suitable size excluding cost and erection of pipe. (i) Cable size 1.5 sq mm (3 / 0.81 mm). (iii) Cable size 4 sq mm	800 mtrs. 400 mtrs.	@ Rs. 10.20 (Rs. Ten and paisa twenty only) @ R. 24.50 (Rs. Twenty four and paisa fifty only)	Per mtr. Per mtr.
2	N.S.	Dismantling of old wiring point.	40 nos.	Rate to be quoted by contractor	Each

Note:

1. The underground cable will be used of Havells / Polycabe make. No extra payment will be allowed on this account.

Contd. ..2..

2. PVC pipe of 6 Kg. pressure Kasta / Swastik / Supreme make of HSR item no. 31.21 will be used. No extra payment will be allowed on this account.
3. The materials used for HSR item no. 31.12, 31.15, 31.17 and 31.41 will be used of Standard/Havells make and no extra payment will be allowed on this account.
4. PVC copper wire 31.38, 31.39 and 31.40 will be used of Plaza / Havells / Polycabe make and no extra payment will be allowed on this account.